

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/702,099	11/05/2003	Rupert A. Schmidtberg	S1446.70000US01	6804	
	7590 01/05/2007		EXAMINER		
WOLF GREENFIELD & SACKS, PC FEDERAL RESERVE PLAZA 600 ATLANTIC AVENUE BOSTON, MA 02210-2206 LE, UYEN CHAU N ART UNIT PAPE		CHAU N			
			ART UNIT	PAPER NUMBER	
boston, MA	02210-2200		2876		
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MO	NTHS	01/05/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

			<u> </u>				
	Application No.	Applicant(s)	-3-				
	10/702,099	SCHMIDTBERG E	T AL.				
Office Action Summary	Examiner	Art Unit					
·	Uyen-Chau N. Le	2876					
The MAILING DATE of this communic Period for Reply	ation appears on the cover sheet	with the correspondence add	iress				
A SHORTENED STATUTORY PERIOD FO WHICHEVER IS LONGER, FROM THE MA - Extensions of time may be available under the provisions or after SIX (6) MONTHS from the mailing date of this commu - If NO period for reply is specified above, the maximum state - Failure to reply within the set or extended period for reply whan yreply received by the Office later than three months after earned patent term adjustment. See 37 CFR 1.704(b).	ALING DATE OF THIS COMMUI f 37 CFR 1.136(a). In no event, however, may nication. utory period will apply and will expire SIX (6) M ill, by statute, cause the application to become	NICATION. y a reply be timely filed IONTHS from the mailing date of this core ABANDONED (35 U.S.C. § 133).	•				
Status							
1) Responsive to communication(s) filed	on 29 September 2006.						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) Claim(s) 1-41 is/are pending in the ap	plication.						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-41</u> is/are rejected.							
7) Claim(s) is/are objected to.	7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the	Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119	•						
12) Acknowledgment is made of a claim for	or foreign priority under 35 U.S.C	. § 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
		•					
Attachment(s) 1) Notice of References Cited (RTO 802)	A) [] 1=1== 2	w Summon (DTO 440)					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PT 		w Summary (PTO-413) lo(s)/Mail Date					
3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informal Patent Application							
Paper No(s)/Mail Date	6) 🗀 Other: _	·					

DETAILED ACTION

Requesting Continued Examination (RCE)

1. Receipt is acknowledged of the Requesting Continued Examination (RCE) field 09/29/2006.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35

U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Page 3

4. Claims 1-15, 27-35 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Daum et al (US 6,826,267) in view of Abali et al (US 6,712,276).

Re claim 1: Daum et al discloses at least one storage device (i.e., RF tag) (col. 6, lines 60-65) storing at least one dynamic identifier associated with at least one item (i.e., food, etc.) (col. 6, lines 60-65); the at least one dynamic identifier configured to include at least one variable portion (i.e., CMD, MFG, APP TYPE, and DATA) (see fig. 2); the at least one variable portion being comprised of one or more bits which were previously fixed and used to represent information identifying an item and not to represent any detectable environmental or physical condition (i.e., MFG and APP TYPE); wherein the at least one variable portion has at least one of a variable content and a variable length (i.e., DATA field) based at least in part on at least one detectable condition (i.e., temperature, etc.) associated with the at least one item (i.e., food, etc.) (col. 3, line 66 through col. 4, line 22; col. 4, lines 29-34; col. 5, lines 21-25 and col. 6, lines 60-65).

Daum et al, however, is silent with respect to the at least one variable portion represents at least in part at least one detectable condition associated with the at least one item.

Abali et al teaches an integrated circuit sensor 100 having a storage 104 for storing a product information code (i.e., ID) and information data representing the conditions associated with the product (e.g., temperature), which received from the sensor 101; wherein information data stored in the storage 104 recorded as a binary encoded string, which can be implemented with dynamic memory; and wherein based on the temperature sensed by the sensor 101, the expiration date of the product is dynamically updated/adjusted (figs. 1-5; col. 2, line 34 through col. 4, line 33).

It would have been obvious to an artisan of ordinary skill in the art at the time the invention was made to encode the string information of the temperature/condition associated with the product as taught by Abali et al into the system of Daum et al in order to provide Daum et al a more diverse system which can be utilized in various applications software diagnostic commands, update, temperature monitoring, etc.). Furthermore, such modification would have been an obvious engineering variation, well within the ordinary skill in the art, due to the fact the ones can encodes any

information data as desired (i.e., including temperature or other condition data) into a code string, and therefore an obvious expedient.

Re claim 2: wherein the at least one dynamic identifier has a fixed length and a plurality of fields (fig. 2), and wherein the at least one variable portion has a variable content based at least in part on the at least one detectable condition and at least one field of the plurality of fields (Daum et al: col. 3, line 44 through col. 4, line 34).

Re claims 3-5: wherein the at least one detectable condition relates to a measurable parameter (i.e., temperature, etc.) of the at least one item itself, environment, an elapsed time from at least one event associated with the at least one item, respectively (Daum et al: col. 6, lines 30-65).

Re claims 6-7: wherein the at least one dynamic identifier includes at least one dynamic electronic product code (EPC), which further includes a fixed portion including at least one of a first identifier related to a source (i.e., manufacture MFG) of the at least one item; a second identifier related to a product type (i.e., appliance type APPL TYPE) of the at least one item (Daum et al: see figs. 2-4; col. 3, line 44 through col. 4, line 34).

Application/Control Number: 10/702,099

Art Unit: 2876

Page 6

Re claims 8-11: the apparatus is in combination or integrated or attached or embedded respectively in the at least one item (Daum et al: col. 6, line 64).

Re claim 12: wherein the at least one storage device is configured to store the at least one dynamic EPC as a variable binary number (Daum et al: fig. 2; col. 6, line 66 through col. 7, line 4).

Re claims 13-15: wherein the variable binary number includes at least 64 bits, 96 bits, and 128 bits, respectively (Daum et al: figs. 2-4; col. 3, line 44 through col. 4, line 34).

Re claim 27: see claims 1 and 6-7.

Re claim 28: wherein the signal is a radio-frequency signal configured for wireless transmission (i.e., RF tag sensor) (Daum et al: col. 6, line 64).

Re claim 29: wherein the signal is configured for optical transmission (i.e., barcode scanner) (Daum et al: col. 6, line 64).

Re claim 30: wherein the signal is configured for transmission over a network 100 (Daum et al: fig. 1; col. 3, lines 12+).

Re claim 31: see claim 7.

Re claims 32-35: see claims 12-15.

Re claim 40: the at least one detectable condition includes at least one temperature associated with the at least one item; the at least one variable portion of the at least one dynamic EPC includes at least one representation of the at least one temperature (Daum et al: col. 6, lines 30-65); the at least one dynamic EPC further includes a fixed portion including at least first identifier related to а source manufacture MFG) of the at least one item; a second identifier related to a product type (i.e., appliance type APPL TYPE) of the at least one item (Daum et al: see figs. 2-4; col. 3, line 44 through col. 4, line 34); the at least one dynamic EPC is encoded as a variable binary number including at least 64 bits (Daum et al: figs. 2-4; col. 3, line 44 through col. 4, line 34); and the signal is a radio-frequency (RF) signal configured for wireless transmission (i.e., RF tag sensor) (Daum et al: col. 6, line 64).

5. Claims 16-26, 36-39 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Daum et al as modified by Abali et al as applied to claims 1 and 27 above, and further in view of Shaw (US 6,563,417). The teachings of Daum et al as modified by Abali et al have been discussed above.

Re claims 16-17 and 41: Daum et al/Abali et al have been discussed above but fail to teach or fairly suggest that the storage device is configured to be updated periodically.

Shaw teaches an RF tag 12 comprising a processor (i.e., microcontroller 8) coupled to storage device (i.e., memory 4) and the temperature sensor 2, wherein the sensed information may be maintained and regularly updated (col. 5, lines 40-58).

It would have been obvious to an artisan of ordinary skill in the art at the time the invention was made to incorporate the teachings of Shaw into the system as taught by Daum et al/Abali et al in order to provide Daum et al/Abali et al with a versatile system in which the condition of the item and/or the environment in which the item is surrounded be monitored/updated instantaneously upon any changes, unexpected changes that would affect the item's condition can be detected, stopped and/or corrected readily; therefore, reduce the rate of bad quality and/or waste of the item.

Re claim 18: wherein the at least one detectable condition includes at least one temperature associated with the at least one item (i.e., via temperature sensor 2) (Shaw: fig. 1; col. 5, lines 40-58).

Re claim 19: wherein the at least one detectable condition includes at least one refrigeration condition associated with the at least one item (Daum et al: fig. 6; col. 6, lines 30-45).

Re claims 20 and 21: wherein the at least one detectable condition relates to a shelf life/impact sustained of the at least one item (Shaw: fig. 2; col. 5, lines 22-29).

Re claim 22: see claims 7 and 16.

Re claims 23-26: see claims 8-11.

Re claims 36-39: see claims 18-21.

Response to Arguments

6. Applicant's arguments, see pages 9-10, filed 09/29/2006, with respect to rejection under 35 U.S.C. §112 have been fully considered and are persuasive. The rejection under 35 U.S.C. §112 of claims 1-41 has been withdrawn.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Uyen-Chau N. Le whose telephone number is 571-272-2397. The examiner can normally be reached on maxi-flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G. Lee can be

Application/Control Number: 10/702,099

Art Unit: 2876

reached on 571-272-2398. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> Uyen-Chau N. Le Primary Examiner

Uchaule

Page 10

Art Unit 2876

December 26, 2006